Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



9292.9 303FC Cap. 4

WATER SUPPLY OUTLOOK FOR WASHINGTON




U. S. DEPARTMENT of AGRICULTURE ★ SOIL CONSERVATION SERVICE

Collaborating with

DEPARTMENT OF ECOLOGY STATE OF WASHINGTON

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

Cover Photo: Snow Surveyors near Ship Creek, Alaska snow course.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Room 209, 511 N. W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

| STATE | ADDRESS |
|--------------------|--|
| Alaska | 204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501 |
| Arizona | 6029 Federal Building, Phoenix, Arizona 85025 |
| Colorado (N. Mex.) | P. O. Box 17107, Denver, Colorado 80217 |
| Idaho | Room 345, 304 N. 8th. St., Boise, Idaho 83702 |
| Montana | P.O. Box 98, Bozeman, Montana 59715 |
| Nevada | P. O. Box 4850, Reno Nevada 89505 |
| Oregon | 1218 S. W. Washington St., Portland, Oregon 97205 |
| Utah | 4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 841 38 |
| Washington | 360 U.S. Court House, Spokane, Washington 99201 |
| Wyoming | P. O. Box 2440, Casper, Wyoming 82601 |

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and tor British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

WATER SUPPLY OUTLOOK FOR WASHINGTON

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

KENNETH E. GRANT

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C

Released by

GALEN S. BRIDGE

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE SPOKANE, WASHINGTON

In Cooperation with

JOHN A. BIGGS


DIRECTOR DEPARTMENT OF ECOLOGY STATE OF WASHINGTON

Report prepared by

ROBERT T. DAVIS, Snow Survey Supervisor

SOIL CONSERVATION SERVICE 360 U.S. COURTHOUSE SPOKANE, WASHINGTON 99201






INDEX to WASHINGTON SNOW COURSES, SOIL MOISTURE STATIONS and PRECIPITATION STORAGE GAGES

| Jack Noods 1885m 28 27N 31E 27SO Mosquito Meadows 21C19 33 10N 7E 4100 Dock Butte Krause 1884m 21 27N 33E 2270 Ohanspecosh 21C32 28 15N 10E 2200 Easy Pass Sherman 1887m 27N 33E 2378 Packwood Lake 21C3 21 13N 10E 2870 Jasper Pass Sherman 1887m 24 27N 33E 2440 Pigtail Peak 21C3 21 11 13N 11E 5900 Komo Kuishan |
|--|
| 32 27N 34E 2440 Cayuse Pass 21Cb 15 16N 10E 5300 oake |

| eer Lake | | undown Pass | Stream | | and White | S | diffeanc | | ox Valley | | cr Park | Du | 0177 | in Lakes | | rama \ | acier Creck | ountain | | tson Lakes | ur Creek | Ω. | hreihers Meadow | unt 81um | | mo Kulshan | sy Pass | 7 | r Pas | | 3 | w Hozomeen Lake | | reek | ezeout Me | eezeout Creek Trail | ils Park | | aver Creek Trail | | NAME |
|----------|--------------|-------------|--------|------|-----------|--------------|----------|-------------|-----------|-------------|---------|----------------|---------------|----------|------|--------|-------------|------------------|--------------|------------|----------|--------|-----------------|----------|-------|----------------|---------|--------|--------|-------------|-------|-----------------|--------------|------|-----------|---------------------|----------|--------|------------------|--------------|----------|
| 2381 | Soleduck Riv | 23B8 | 23B10 | 23B6 | | kokomish Riv | * 000 | Elwha River | 23814 | Morse Creek | 2384 | Dungeness Rive | YMPIC PENINSU | | | | | 21A19a 21A20a | Nooksack Riv | 21A8 | 21A13 | 21A14A | 21A12A | 21A18a | 21A9A | 21A6A 21A17 | 21A7A | 21A11A | 21A27a | Baker River | 21A30 | 20A7 | 2008 2008 | | | | | 21A28a | 21A4 21A1 | Skagit River | NUMBER S |
| | er | 25 | 28 | 16 | 17 | ег | ç | 36 | 29 | ~ | _ | Ä | _ | 16 | 17 | 17 | 9-10 | 70 | e T | 25 | 122 | 20 | 18 | 27 | 23 | 31 | 19 | 00 | _ | | 15 | 19 | 19 | 25 | 00 (| s ¹ 4 | 34 | 26 | 9 | 1 | EC. |
| 28N | | 24N | NSN | 242 | 24N | | | Nez | 28N | | 28N | | > | 11 | | | | 40N | | 37N | 37N | 36N | 37N | 38N | 38N | 37N | 39N | 36N | 37N | | 35N | 40N | 40N | 36N | 40N | 40N | 38N | 40N | 39N | | TWP. |
| MG | | 7W | MS | 5 18 | SW. | | | W7 | WO. | | SW | | | 9E | 9E | 9E | 7E | 7E | | 9E | 98 8E | 9E | 8E 6 | 10E | SE. | 9E | I E | 8E | 7E | | 14E | 14E | 14E | 16E | 16E | 14E | 16E | 12E | 12E | 1 | RANGE |
| 3900 | | 3900 | 5200 | 3000 | 4200 | | | 4500 | | | 5200 | | | 5200 | 4300 | 4300 | 3700 | 4400 | | 4500 | 1600 | 2200 | 3400 | 2100 | 3600 | 800 | 5200 | 3800 | 4900 | | 4200 | 2800 | 2600 | 3500 | 5000 | 5000 | 5900 | 6000 | 3680 | | ELEV. |



INDEX to WASHINGTON SNOW COURSES, SOIL MOISTURE STATIONS and PRECIPITATION STORAGE GAGES

| 21 20 20 20 20 20 21 21 21 21 | ge 200 ge 200 ge 200 200 200 200 200 200 200 200 200 200 | 20k No. 1 20k No. 2 3 hdows 1 Mtn. 1cc Methow t Pass 1 ch 3 Sasin 8asin Chelon Le 55 Flat | PER COLUMB Pend Orei Pend Orei Colvill Colvill Sanpoil Pass Okanogo |
|--|--|---|--|
| 7 26N 15E 3 26N 14L 5 22A 17L 17 27N 17L 1 24N 17L 1 26N 16L 1 26N 13L 2 26N 13L | 200424 8 31N 16E 200423a 18 31N 16E 200423a 18 31N 16E 200423a 18 34N 16E 200413a 18 20 16E 200413a 18 20 200413a 34 37N 18E 200431a 34 37N 18E 200431a 34 37N 18E 200424a 200 | 19 37N 24E 19 37N 24E 19 37N 24E 32 40N 18E 18 35N 24E 33 37N 24E 15 35N 23E 10 38N 20E 8 39N 18E 15 40N 23E 16 34N 23E 17 31N 16E 8 31N 16E | ER SEC. TWP. RANGE DRAINAGE River 36 39N 36E 24 37N 44E 30 33N 35E 5 38N 36E 5 38 |
| 2)25 324) Cultus Creek 1270 1810 1810 1817 Blue Lake 2110 Caliantly Ridge 5700 Council Pass | (Least (Least (Least ngs ow E | Cooke Creek Domery Flat Fish Lake Green Lake Grouse Camp High Creek Joe Lake Lake Cle Elum Lemah Creek Manastash Morse Lake Nanum Trail Creek Tunnel Avenue Vun fips Pass Walters Flat Waptus Lake | Velling ta |
| White Solmon River 21C12 35 7N 81 Lewis River 21C22a 19 9N 81 21C21 25 8N 7E 22D1a 8 5N 5E 21C18a 24 9N 91 | A sofin Creek A sofin Creek Mill Creek 17C3 17C1 17C2 17C2 17C2 17C2 17C2 17C2 17C2 | 20810 17 100 206 21844 31 240 148 2184 31 240 148 2184 32 241 148 2184 32 241 148 21610 3 12N 138 20811 32 20N 196 21846a 22 23N 128 21847a 7 23N 138 20613 4 20N 196 20814 20 19N 166 20813 4 20N 196 20814 20 19N 206 2188 13 71N 116 20815 22 23N 138 20815 22 23N 138 20815 22 23N 138 20815 22 23N 138 | NUMBER SEC. TWP. R River (continued) 20825SP 10 20N 20825SP 11 20N 20825 11 20N 20825 11 20N 20825 12 21N 2082 11 8 21N 2084 18 21N 2088 34 21N 2088 34 21N 2088 34 21N 2088 30 21N 1885m 28 27N 1885m 28 27N 1885m 27 27N 1885m 28 27N 1885m 21 27N 1885m 21 27N 1885m 24 25N 2101 26 12N 21025 23 23N 21036 25 23N 21036 25 20N |
| 1800 2200 2500 | 4500 4500 5700 5700 1030 1030 1030 | 2120 3371 6000 3371 6000 5385 2930 4624 2000 3327 3935 5400 5855 5400 5875 3356 5855 5856 5856 5856 5856 5856 585 | \$310 \$310 4400 4450 4400 4440 4440 4440 4440 4440 5275 2275 2242 2242 2242 2242 2242 2378 2378 6 2378 7 2440 3450 5300 53 |
| Alpine Meadow Olaflie Meadows South Fork Tolt Skyk | Charley Creek Cougar Mountain No. 2 Grass Mountain No. 3 Lester Creek Lynn Lake Sawmill Ridge Snowshoe Butte Stampede Pass Twin Camp Ce City Cabin Mt. Gardner Mt. Gardner Aux. Mt. Lindsay Mt. Washington New Rex River South Fork Cedar Tinkham Creek | Pg 8g 0 | NAME Lewis River Divide Meadow Grand Meadow Lone Pine Shelter Marble Mountain New Muddy River Oldman Pass Plains of Abraham Smith Creek Road Spencer Meadow Surprise Lakes Table Mountain Timbered Peak Cayuse Pass Ohanapecosh Packwood Lake Pigtail Peak Porato Hill Willame Creek |
| noqualmie River 21B48 31 27N 9E 21B48 19 22N 11E 21B18 26 26N 9E Skykomish River 21B19 53 26N 10E | 21825 21 20N 11E 21825 21 21N 9E 21825 21 21N 9E 21826 21 20N 8E 21828 21 20N 8E 21828 21 20N 10E 21828 2 20N 10E 21828 1 5 19N 11E 21831 1 5 19N 11E 21830 1 18 19N 11E 21831 1 21N 10E 21813 1 22N 10E 21821 30 22N 10E 21821 31 22N 10E 21821 31 22N 10E 21821 32 22N 10E 21821 31 22N 10E 21821 32 22N 10E 21821 31 22N 10E 21822 31 22N 10E 21823 1 22N 10E 21824 21N 10E 21825 21 21N 10E | JND DRAINAGE olly River 21C4 23 15N 21C3 29 15N 21C3 29 15N 21C3 13 15N 21C1 13 15N 21C3 4 16N 21C34 4 16N 21C34 4 16N 21C34 4 16N | NUMBER SEC. TWP. RANGE ELEV. 21C293 21 9N 10E 5600 Beaver C 21C252 28 8N 9E 3500 Brown To 21C26 8 9N 7E 3800 Brylls P. 22C66 36 8N 6E 2000 Freezeou 21D19 22 6N 7E 3100 Freezeou 22C1 35 9N 5E 4400 Freezeou 22C1 35 9N 6E 2100 Granite i 21C24a 20 9N 6E 2100 Granite i 21C24a 20 9N 9E 4250 New Hozo 21C33 15N 10E 3500 Thunder 21C32 28 15N 10E 2200 Baker Pa 21C3 21 13N 10E 2870 Baker Pa 21C3 3 13N 8E 3250 Mount 8I 21C30 3 13N 8E 3250 Mount 8I 21C30 3 13N 8E 3250 Mount 8I 5. F. Three Milk Watson I |
| 3500 3625 1900 2900 | 1200 1200 2200 2100 2100 2100 4100 4100 | | SELEV. 5600 3500 3500 3800 2000 2100 2100 4200 4250 4250 4250 4250 4250 4250 42 |
| SHOR COURT AND TRANSPET ZIAT ZIATA ALEKA MARKE OAT ZIATA ZIA | Morse Creek 23814 29 28N 6W Elwho River 2383 36 29N 7W 4500 Skokomish River Black and White Lakes 2386 16 24N 5W 4700 Four Stream 10me Sweet Home 2385 25 24N 5W 5200 Sundown Pass Soleduck River Deer Lake 2381 14 28N 9W 3900 | Nooksock River | Treek Trail ass ass p t Creek Trail t Nadows t New Creek meen Lake meen Lake Basin doke s s t t c c c c c c c c c c c c c c c c |

| | | | | | | | | | | | | | | | | | | | | _ | | | | | | | | | | _ | _ | | | | | | | |
|---------------|--|-------------|-----------|-------------|------------|------------|-----------|----------------|---------------|---|--------|--------------------------------------|-------|--------|------------------------|------|-------|---------------|--------------|-------------|--------|-------------|------------|-----------|------------|-------------|---------------|-------------------|----------------|---------------|-----------------------|---------|------|-------------|--------|--------------------|---|------------|
| S | Black and White Black and White Lakes Four Stream Home Sweet Home Sundown Pass | Sk. | Hurricane | | Cox Valley | | Decr Park | Dun | OLYMPIC | | S | Panorama New Panorama Snow Pillow | | Canyon | 8ald Mountain | Lake | | Sulphur Creek | hreibers Mea | Rocky Creek | | Marten Lake | G) | Easy Pass | Dock Butte | Page | Thunder Basin | New Hozomeen Lake | Meadows Cabins | Lake Hozomeen | Freezeout Meadows New | Meadows | | Devils Park | r Pass | Seaver Creek Trail | | NAME |
| Soleduck Rive | 23B7 23B6 23B10 23B5 23B8 | okomish Riv | 2383 | Elwha River | 23814 | Morse Cree | 2384 | Dungeness Rive | PIC PENINSULA | | 21A21a | 21A25SI | 21A23 | 21A20A | Nooksack Riv 21A19a | 21A8 | 21A15 | 21A13 | 21A10A | 21A12A | 21A18a | 21A9A | 21A6A | 21A7A | 21A11A | Baker River | 21A30 | 20A7 | 20A8 | 21 42 | 20A38 | 20A2 | 20A1 | 20A4 | 21/12 | 21A4 | 0 | NUMBER |
| /er | 17 16 1 28 25 | ver | 36 | 7 | 29 | χ- | - | ег | SUL | | | 2 17 | 9-10 | 20 | 7 er | 25 | 18 | 22 | 20 | 20 | 27 | 23 | | 19 | 00 (| _ | 15 | 19 | 29 | 10 | , o | 00 | 14 | 34 | 20 | 35 | | SEC. |
| | 24N 24N 23N 25N 24N | | N67 | | 28N | | 28N | | Þ | | 40N | 39N | | 40N | 40N | 37N | 36N | 37N | 36N N/S | 37N | 38N | 38N | 37N N85 | 39N | 36N | 37N | 35N | 40N | 36N | 400 | 40N | 40N | 40N | 38N | 39N | 39N | | TWP. |
| | 7W 7W 8W | | 7W | | 6W | | SW. | | | | 9E | 9E | 7E | 8E | 7E | 36 | 9E | 318 | 2 6 | 80 | 10E | 318 | 0F | HE | 8E | 7E | 14E | 14E | 14E | 145 | 16E | 16E | 14E | 16E | 12E | 12E | | TWP.,RANGE |
| | 4200 4700 3000 5200 3900 | | 4500 | | | | 5200 | | | 1 | 5200 | 4300 | 3700 | 5100 | 4400 | 4500 | 1600 | 1600 | 2200 | 2100 | 5800 | 3600 | 800 | 5200 | 3800 | 4900 | 4200 | 2800 | 1900 | 3500 | 2500 | 5000 | 3500 | 5900 | 3680 | 2200 | | ELEV. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

WATER SUPPLY OUTLOOK

State of Washington February 1, 1974

** The water supply outlook for irrigation and power for the Columbia ** Basin in Washington and from tributary areas can be considered ** ** excellent for this time of year. Snow surveys made in the state ** and adjacent areas, as of February 1, show a snow pack that varies ** from a low of 7 percent above normal to 92 percent above. ** similar to the situation which occurred in 1971 and 1972. It is ** ** still early in the year and the water supply outlook can change ** ** with subsequent inputs of rain and snow, but even with average ** ** ** conditions from this date forward, an excellent water supply is ** forecasted. **

SNOW COVER

All of the watersheds in Washington and tributary areas have a well above normal snow pack and in the Baker River drainage, seven of the ten snow courses have record snow depths as of this date. While most of the snow courses measured have not reached the normal April 1 snow water equivalence, they are approaching it very closely and densities, or the amound of water in the snow as compared to its depth, have reached this April 1 average. The snow pack this year is markedly similar to that which occurred in 1971 and 1972 and of course greatly more than was measured last year. The highest water equivalent compared to average occurred on the Snoqualmie River drainage, but this was a result of only one snow course average. The range of snow cover was from 7 percent above normal for the Colville River to this high of 92 percent above for the Snoqualmie. Compared to last year, the range is from 68 percent above normal for the Skykomish to 348 percent greater for the Mill Creek near Walla Walla. Comparing this years snow to the highs of 1972, the range is from 10 percent above normal on the Colville River to 30 percent below for the Lewis River.

en de la companya de la co

RESERVOIRS

The five reservoirs in the Yakima drainage have 473,000 acre feet in storage as of February 1, compared to 630,000 for normal. This is 76 percent. Comparing this year to last, there is 62 percent and with 1972 - 66 percent. Some of the power reservoirs have more water in storage now than normal, but this is a result of extremely high inflows during the past month. The big reservoir, F. D. R. Lake, has a well below normal amount of water in storage as a result of evacuation of the reservoir for removal of the coffer dam at the third power house. All reservoirs will fill and probably spill with the spring runoff.

PRECIPITATION

Fall precipitation was varied over the Columbia Basin portion in Washington. It ranged from 9 percent below normal on the northwest slopes of the Cascades to 113 percent above normal in the north-central portion of the state. Winter precipitation was all well above normal, ranging from 39 percent above for the northwest slopes to 87 percent above for the Pend Oreille-Spokane drainage area. These percentage figures have been supplied by the National Weather Service.

SOIL MOISTURE

Only seven soil moisture stations are now being read in the state and tributary basins. The situation with these stations fluctuates from above normal to below with only the stack in the Wenatchee watershed showing near capacity soil moisture. Where the soil mantle is wetted to above normal, there has been generally heavy rains and excessive snowmelt. At the higher elevations this rain fell as snow or did not penetrate the snow packs, therefore did not get into the soil mantle.

STREAMFLOW

Only the Okanogan River was reported to have below normal runoff during the month of January. All other stations had well above normal flows, ranging from 31 percent above for the Chehalis to 379 percent above for the Palouse. Even the Columbia at International Boundary had a flow that was 128 percent above during the month. Forecasts of streamflow indicate the expected flow during the April-September period to range from 5 percent above normal for the Columbia River, as measured at Birchbank, to 35 percent above for the Okanogan River near Tonasket. Numerical forecasts can be found following this narrative statement.




STREAMFLOW FORECASTS - FEBRUARY 1974

The following summarized runoff forecasts are based principally on mountain snow-cover and on the assumption that precipitation and temperature will be near average from the present time to the end of the forecast period. Appreciable deviations from normal of temperature and/or precipitation will correspondingly modify these forecasts. Streamflow figures for 1973 are preliminary and subject to revision.

| | | | 1 Streamf1 | ow in T | housands | of Act | re-Feet |
|--|----------|-----------|------------|---------|----------|--------|---------|
| Basin, Stream | Forecast | % | Fore- | | | | 15-Yr |
| and | Runoff | 15-Yr. | cast | | | | Average |
| Station | 1974 | Avg. | period | 1973 | 1972 | 1971 | 53-67 |
| | COLUM | MBIA BASI | N | | | | |
| Columbia River System | | | | | | | |
| Columbia River | 48700 | 105 | Apr-Sep | | 56151 | 48708 | 46368 |
| at Birchbank $1/$ | 38850 | 104 | Apr-Jul | | 46161 | 39464 | 37480 |
| _ | 28850 | 107 | Apr-Jun | | 33937 | 29725 | 27040 |
| Columbia River | 76500 | 110 | Apr-Sep | | 83837 | 77859 | 69458 |
| at Grand Coulee 1/ | 65500 | 111 | Apr-Jul | | 71776 | 66456 | 58899 |
| _ | 51200 | 112 | Apr-Jun | | 56220 | 53058 | 45889 |
| Columbia River | 84500 | 111 | Apr-Sep | | 97664 | 84668 | 76241 |
| bl Rock Island Dam 1/ | 71000 | 110 | Apr-Jul | | 84253 | | 64777 |
| 2 10000 202000 2020 27 | 56600 | 112 | Apr-Jun | | 65862 | | 50387 |
| Columbia River | 120000 | 115 | Apr-Sep | | 134716 | 126868 | 105176 |
| at The Dalles, Or $1/$ | 103000 | 114 | Apr-Jul | | 117896 | 111064 | |
| | 85000 | 117 | Apr-Jun | | 96374 | | 72410 |
| PEND OREILLE RIVER SYSTEM Pend Oreille River | | | | | | | |
| bl. Box Canyon | 18300 | 114 | Apr-Sep | | 20294 | 19052 | 16030 |
| | 16700 | 113 | Apr-Jul | | 18724 | | 14788 |
| | 14350 | 113 | Apr-Jun | | 16109 | 15357 | 12754 |
| KETTLE RIVER SYSTEM | | | | | | | |
| Kettle River | 2400 | 125 | Apr-Sep | | 2289 | 2240 | 1918 |
| nr. Laurier | 2290 | 126 | Apr-Jul | | 2205 | 2177 | 1821 |
| | 2110 | 128 | Apr-Jun | | 1965 | 1927 | 1644 |

^{1/} Observed flow corrected for storage in any of the following reservoirs which are above the station: Kootenay Lake, Hungry Horse, Flathead Lake, Pend Oreille Lake, F. D. Roosevelt Lake, Lake Chelan, Coeur d'Alene Lake, Brownlee, Noxon Reservoir and pumpage at F. D. Roosevelt Lake.



| and Ru | ecast noff 974 | % 15-Yr. Avg. | I Streamf! Fore- cast Period | low in | Thousan | ds of 1971 | Acre-Feet 15-Yr Average 53-67 |
|---------------------------------------|----------------------|---------------|---------------------------------------|--------|---------|---------------|--|
| | | | 5 0 1 1 0 0 | 17/3 | 1712 | LJIL | 33-07 |
| Kettle River System (Cont.) | | | | | | | |
| Colville River 2 | 00 | 131 | Apr-Sep | | 114 | 170 | 153 |
| | 85 | | Apr-Jul | | 103 | 158 | 141 |
| 1 | 70 | 130 | Apr-Jun | | 94 | 146 | 131 |
| Spokane River System* | | | | | | | |
| Spokane River | | | | | | | |
| at Post Falls Id $\underline{2}$ / 38 | | | Apr-Sep | | 4002 | 3941 | 3140 |
| 37 | | | Apr-Jul | | 3875 | 3798 | 3055 |
| 35 | 20 | 121 | Apr-Jun | | 3644 | 3523 | 2913 |
| Okanogan River System | | | | | | | |
| Similkameen River 19 | 80 | 130 | Apr-Sep | | 3259 | 1931 | 1525 |
| nr. Nighthawk 18 | | 132 | Apr-Jul | | 3090 | 1840 | 1419 |
| 16 | 00 | 134 | Apr-Jun | | 2568 | 1576 | 1197 |
| Okanogan River 23 | 50 | 135 | Apr-Sep | | 3852 | 2225 | 1738 |
| nr. Tonasket 21 | 50 | 136 | Apr-Jul | | 3523 | 2077 | 1578 |
| 18 | 20 | 138 | Apr-Jun | | 2895 | 1772 | 1318 |
| Methow River System | | | | | | | |
| Methow River 14 | 20 | 135 | Apr-Sep | | 1959 | 1339 | 1054 |
| nr. Pateros 13 | 25 | | Apr-Jul | | 1819 | 1259 | 981 |
| 11. | 50 | 138 | Apr-Jun | | 1524 | 1061 | 834 |
| Chelan River System | | | | | | | |
| Chelan River 16. | 50 | 130 | Apr-Sep | | 1866 | 1550 | 1266 |
| at Chelan <u>3</u> / 14 | 90 | | Apr-Jul | | 1619 | 1352 | 1119 |
| 110 | 90 | 137 | Apr-Jun | | 1250 | 1019 | 870 |
| Stehekin River 11: | 50 | 127 | Apr-Sep | | 1235 | 1093 | 904 |
| | | | Apr-Jul | | 1044 | 927 | 772 |
| | | | Apr-Jun | | 772 | 657 | 586 |

^{*} Forecasts made by Jack A. Wilson, Soil Conservation Service, Boise, Idaho

^{2/} Observed flow corrected for storage in Coeur d'Alene Lake and diversions by Spokane Valley Farms Company and Rathdrum Prairie Canals.

^{3/} Observed flow corrected for storage in Lake Chelan.



| Basin, Stream and Station | Forecast Runoff 1974 | Season % 15-Yr. Avg. | al Streamf Fore- cast Period | low in | Thousan | nds of A | Acre-Feet 15-Yr. Average 53-67 |
|---------------------------------|----------------------------|-------------------------------|---------------------------------------|--------|---------|----------|---|
| Wenatchee River System | | | | | | | |
| Wenatchee River | 1570 | 118 | Apr-Sep | | 1926 | 1637 | 1333 |
| at Plain | 1450 | 120 | Apr-Jul | | 1686 | 1448 | 1204 |
| | 1160 | 122 | Apr-Jun | | 1272 | 1045 | 952 |
| Wenatchee River | 2180 | 120 | Apr-Sep | | 2808 | 2241 | 1814 |
| at Peshastin | 2020 | 122 | Apr-Jul | | 2481 | 1999 | 1651 |
| | 1630 | 124 | Apr-Jun | | 1891 | 1454 | 1316 |
| Stemilt Basin nr Wenatchee | 138 * | 105 | Mar-Sep | * | 145* | 148* | 131* |
| Yakima River System | | | | | | | |
| Yakima River | 160 | 110 | Apr-Sep | | 213 | 192 | 145 |
| nr. Martin 4/ | 150 | 112 | Apr-Jul | | 192 | 179 | 134 |
| | 130 | 112 | Apr-Jun | | 160 | 139 | 116 |
| Yakima River | 1140 | 118 | Apr-Sep | | 1515 | 1300 | 968 |
| at Cle Elum <u>5</u> / | 1020 | 115 | Apr-Jul | | 1374 | 1179 | 885 |
| | 900 | 118 | Apr-Jun | | 1156 | 934 | 762 |
| Yakima River | 2080 | 120 | Apr-Sep | | 3231 | 2873 | 1738 |
| nr. Parker 6/ | 2070 | 120 | Apr-Jul | | 3071 | 2620 | 1722 |
| | 1900 | 120 | Apr-Jun | | 2694 | 2153 | 1583 |
| Kachess River | 145 | 113 | Apr-Sep | | 196 | 172 | 128 |
| nr. Easton 7/ | 138 | 113 | Apr-Jul | | 182 | 163 | 122 |
| | 125 | 116 | Apr-Jun | | 153 | 130 | 107 |
| Cle Elum River | 570 | 117 | Apr-Sep | | 750 | 627 | 485 |
| nr Roslyn <u>8</u> / | 530 | 119 | Apr-Jul | | 673 | 568 | 445 |
| | 450 | 121 | Apr-Jun | | 538 | 433 | 373 |

^{*} Thousands of Miners' inches.

^{4/} Observed flow corrected for storage in Lake Keechelus.

^{5/} Observed flow corrected for storage in Keechelus, Kachess and Cle Elum Lakes and diversion by Kittitas Canal.

^{6/} Observed flow corrected for storage in Keechelus, Kachess, Cle Elum, Bumping and Rimrock Lakes and diversions by Roza, Union Gap, New Reservation, Old Reservation and Sunnyside Canals.

^{7/} Observed flow corrected for starage in Lake Kachess.

^{8/} Observed flow corrected for storage in Lake Cle Elum.



| | | Seero | al Streamf | Tow for | The company | mis af | t and a server |
|-----------------------------|----------|---------|------------|---------|---|---------------|----------------|
| Basin, Stream | Forecast | 18 | Fore- | | may 0 3 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | SCHOOL STAN A | 15-Yr. |
| and | Runoff | 15-Yt. | cast | | | | Average |
| Station | 1974 | Avg. | | 1973 | 1972 | 1971 | 53-67 |
| | | | | | | | |
| Yakima River System (Cont.) | 9 20 20 | 9 0 = | | | | | |
| Bumping River | 190 | 127 | Apr-Sep | | 234 | 193 | 150 |
| nr. Nile 9/ | 175 | 127 | Apr-Jul | | 209 | 174 | . 138 |
| | 145 | 128 | Apr-Jun | | 156 | 124 | 114 |
| American River | 165 | 127 | Apr-Sep | | 186 | 172 | 129 |
| ar. Nile | 155 | 129 | Apr-Jul | | 169 | 154 | 120 |
| | 130 | 131 | Apr-Jun | | 137 | 113 | 99 |
| | ± 4 € | AL S Ab | | | .L. & # | 110 | לל |
| Tieton River | | | | | | | |
| at Tieton Dam 10/ | 300 | 120 | Apr-Sep | | 396 | 326 | 251 |
| | 260 | 120 | Apr-Jul | | 333 | 272 | 215 |
| | 240 | 122 | Apr-Jun | | 261 | 198 | 1.72 |
| Naches River | 1080 | 120 | Apr-Sec | | 1477 | 1168 | 899 |
| nr. Naches 11/ | 1010 | 123 | Apr-Jul | | 1339 | 1055 | 819 |
| ash a historia white | 850 | 122 | - | | | | |
| | 9)U | k 4 4 | Apr-Jun | | 1106 | 833 | 698 |
| Ahtanum Creek | 60 | 123 | Apr-Sep | | 75 | 63 | |
| nr. Tampico 12/ | 55 | 122 | Apr-Jul | | 69 | 57 | 4.5 |
| i. oursecter | 50 | 125 | Apr-Jun | | 59 | 48 | 40 |
| Lower Columbia River System | | | | | | | |
| Mill Creek | | | | | | | |
| nr. Walla Walla | 39 | 135 | Art-Sep | | 34 | 30 | 23 |
| | 33 | 132 | Apr-Jul | | 29 | 26 | 25 |
| | 31 | 135 | Apr-Jun | | 26 | 24 | 23 |
| Lewis River | 1700 | 125 | Apr-Sep | | 1597 | 1827 | 1358 |
| at Ariel 13/ | 1500 | 125 | Apr-Jul | | 1392 | 1605 | 1197 |
| as halter 13/ | | | | | | | |
| | 1360 | 128 | AproJun | | 1236 | 1341 | 105) |
| Cowlitz River | 2700 | 125 | Apr-Sep | | 3048 | 2800 | 216/1 |
| Blw. Mayfield Dam | 2400 | 125 | Apr-Jul | | 2672 | 2463 | 190 : |
| | 2000 | 124 | Apr-Jun | | 2201 | 1935 | 1611 |
| Cowlitz River | 3600 | 128 | Apr-Sep | | 3819 | 3710 | 281 |
| | 3200 | 129 | | | | 3253 | 248 |
| at Castle Rock 14/ | | | Apr-Jul | | 3331 | | |
| | 2700 | 127 | Apr-Jun | | 2782 | 2585 | 2114 |

Observed flow corrected for storage in Bumping Lake. 10/ Observed flow corrected for storage in Rimrock Lake.

^{11/} Observed flow corrected for storage in Bumping and Rimrock Lakes and diversions by Tieton, Selah Valley, Wapatox Canals and City of Takima.

^{12/} Observed flow of North and South Forks (combined)

^{13/} Observed flow corrected for storage in Lake Metwin, Vale and Swift Reservoirs.

^{14/} Observed flow corrected for storage in Mayfield Reservoir.



COMPARISON OF SNOW COVER WITH THAT OF PREVIOUS YEARS

The following tabulation of Washington stream basins presents the water content of the snow about February 1, 1974, as percent of the same date in 1973 and 1972 and

average of record.

| average of feedra. | No. of | | now Water E | - |
|--------------------|-------------|-------------|-------------|--------------|
| Tributary Basin | Courses | | as percent | |
| | Average | 1973 | 1972 | 1958-72 Avg. |
| | IIPPER COLI | MBIA BASIN | | |
| | OTTER GODE | MIDIA DASIN | | |
| Pend Oreille | 11 | 179 | 98 | 121 |
| Kettle | 16 | 198 | 95 | 115 |
| Colville | 5 | 187 | 110 | 107 |
| Spokane | 3 | 241 | 86 | 120 |
| Okanogan | 32 | 220 | 88 | 134 |
| Methow | 9 | 230 | 107 | 160 |
| Chelan | 8 | 190 | 104 | 147 |
| Entiat | 9 | 180 | 100 | 171 |
| Wenatchee | 9 | 241 | 76 | 128 |
| Yakima | 18 | 268 | 80 | 150 |
| Ahtanum | 2 | 196 | 95 | 162 |
| | LOWER | COLUMBIA | | |
| Mill Creek | 3 | 448 | 86 | 175 |
| Klickitat | 1 | 387 | 87 | 138 |
| White Salmon | 2 | 336 | 88 | 158 |
| Lewis | 18 | 309 | 70 | 121 |
| Cowlitz | . 9 | 324 | 72 | 136 |
| | PUGET | SOUND | | |
| Ni agual 1 w | 4 | 337 | 82 | 166 |
| Nisqually Green | 10 | 437 | 79 | 139 |
| | 1 | 430 | 105 | 192 |
| Snoqualmie | 2 | 168 | 77 | 123 |
| Skykomish | 10 | 220 | 98 | 164 |
| Skagit Nooksack | 2 | 203 | 72 . | - |
| | OLYMPIC I | PENINSULA | | |
| 01 1 1 1 | , | 201 | 94 | 127 |
| Skokomish | 4 | 201 | 94 | 127 |



RESERVOIR STORAGE - 1000 Acre Feet

| BASIN OR USABLE 1/ Measured (February) | | | | | | | | |
|--|------------------------------|-------------|--------|--------|--------|---------|--|--|
| STREAM | RESERVOIR | CAPACITY | 1974 | 1973 | 1972 | Normal* | | |
| | | COLUMBIA | | | | | | |
| Spokane | Coeur d'Alene Lake | 225.1 | 386.0 | 153.3 | 147.3 | 137.0 | | |
| Columbia | Franklin D. Roosevel Lake | t 5232.0 | 730.6 | 4937.1 | 4420.2 | 3812.5 | | |
| Columbia | Banks Lake | 761.8 | 720.3 | 610.7 | 714.9 | 494.0 | | |
| 0kanogan | Conconully Reservoir | 13.0 | 5.6 | 10.8 | 9.1 | 5.6 | | |
| 0kanogan | Salmon Lake | 10.5 | 7.3 | 9.5 | 8.6 | 8.6 | | |
| Chelan | Lake Chelan | 676.1 | 297.7 | 237.1 | 190.4 | 318.4 | | |
| Y | | YAKIMA | | | | | | |
| Yakima | Keechelus Lake | 157.8 | 87.3 | 98.6 | 137.2 | 92.1 | | |
| Kaches | Kachess Lake | 239.0 | 93.6 | 193.0 | 156.5 | 172.2 | | |
| Cle Elum | Lake Cle Elum | 436.9 | 168.7 | 315.9 | 277.1 | 241.1 | | |
| Bumping | Bumping Lake | 33.7 | 10.8 | 6.7 | 5.0 | 9.9 | | |
| Tieton | Rimrock Lake | 198.0 | 112.0 | 143.1 | 146.7 | 111.3 | | |
| | | PUGET SOUNI | 2 | | | | | |
| Skagit | Ross Reservoir | 1202.0 | 1231.4 | 997.3 | 822.1 | 956.3 | | |
| Skagit | Diablo Reservoir | 90.6 | 85.2 | 83.4 | 83.9 | 85.6 | | |
| Skagit | Gorge Reservoir | 9.8 | 7.6 | 8.2 | 7.8 | | | |

^{1/} Based on Active Storage

^{* 15-}year average 1953-67



SOIL MOISTURE - FEBRUARY

| Drainage Basin | Number | Elev. | Profile | Inches Total | | oisture as of F | |
|--|------------------|--------------|----------|-----------------|------------|--------------------|----------------|
| Station | | | Depth | Capacity | 1974 | 1973 | 1972 |
| OKANOGAN | | | | | | | |
| Salmon Meadows | 19A2M | 4500 | 48 | 5.4 | 3.7 | 2.4 | 3.6 |
| Trout Creek | 3-M | 3600 | 48 | 7.3 | 3.0 | 3.4 | 4.0 |
| YAKIMA Domery Flat Lake Cle Elum | 21B20m 21B14M | 2200 2200 | 48 48 | 6.9 12.8 | 5.0 9.2 | 6.6 6.9 | Nu ca 30 21 |
| WALLA WALLA Couse Helmers | 17C3m 17C2M | 3650 4400 | 48 48 | 11.1 12.0 | 10.1 | 7.3 10.7 | 10.5 10.6 |
| WENATCHEE Upper Wheeler | 20B7M | 4400 | 48 | 12.7 | 11.3 | 8.9 | 9.0 |

FALL SOIL MOISTURE

| Description | | | D C11 | | 0 11 11 | | |
|----------------|---------|-------|---------|----------|-----------------------|-------|------|
| Drainage Basin | | | Profile | Inches | Soil Moisture Content | | |
| and | | | | Total | Inches as of Oct. 1 | | |
| Station | Number | Elev. | Depth | Capacity | 1973 | 1972 | 1971 |
| | | | | | | | |
| OKANOGAN | | | | | | | |
| Salmon Meadows | 19A02M | 4500 | 48 | 5.4 | 2.6 | 2.8 | 2.7 |
| Trout Creek | 3-M | 3600 | 48 | 7.3 | 2.8 | 3.3 | 3.3 |
| | | | | | | | |
| YAKIMA | | | | | | | |
| Domery Flat | 21B20m | 2200 | 48 | 6.9 | 2.6 | 4,1 | 2.1 |
| Lake Cle Elum | 21B14M | 2200 | 4.8 | 12.8 | 6.1 | 8.7 | 7.1 |
| | | | | | | | |
| WALLA WALLA | | | | | | | |
| Couse | 17C3m | 3650 | 48 | 11.1 | 5.6 | 6.0 | 6.2 |
| Helmers | 17C2M | 4400 | 48 | 12.0 | 7.6 | 7.7 | 8.2 |
| | 2, 4-11 | . 100 | | | | | |
| WENATCHEE | | | | | | | |
| Upper Wheeler | 20B7M | 4400 | 48 | 12.7 | 6.0 | 5.7 | 6.5 |
| oppor wheerer | 2.OD/II | 4400 | 40 | 1.6-01 | ••• | 5 + 7 | 0.5 |



 $\begin{array}{c} \text{PRECIPITATION } \underline{1}/\\ \\ \text{Division Averages and Departures} \end{array}$

| | F | ALL | WINTE | WINTER | | | |
|---|------------------|---|----------------------------------|-------------|--|--|--|
| Drainage | Sept-Oct | | Nov-Dec 1973 | Jan 1974 2/ | | | |
| Divisions | Average | Departure | Average | Departure | | | |
| Columbia in Canada | 5.14 | +0.67 | 11.78 | +2.57 | | | |
| Pend Oreille - Spokane | 4.28 | -0.20 | 24.21 | +11.28 | | | |
| Northeastern Washington | 3.36 | -0.58 | 13.84 | +5.95 | | | |
| Southeastern Washington | 3.71 | +0.48 | 15.84 | +6.87 | | | |
| Central Washington | 4.68 | -0.07 | 28.87 | +8.84 | | | |
| North Central Washington | 3.44 | +1.82 | 7.03 | +2.11 | | | |
| Northwest Slope Cascades | 11.53 | -1.16 | 49.87 | +14.05 | | | |
| Southwest Slope Cascades | 9.69 | +1.01 | 42.03 | +13.12 | | | |
| Northeastern Washington | | - Lower Spokane, Colville, Sanpoil and lower Kettle Drainages. | | | | | |
| Southeastern Washington | | - Touchet, Tucannon and Palouse Drainages. | | | | | |
| Central Washington - Yakima, Wenatchee and Chelan Drainag | | | | | | | |
| North Central Washington | | - Methow and | - Methow and Okanogan Drainages. | | | | |
| Northwest Slope Cascades | | - Puget Sound Drainages. | | | | | |
| Southwest Slope Cascades | ımbia Drainages. | | | | | | |


^{1/ -} Preliminary analysis by National Weather Service from data furnished by Meteorlogical Services of Canada and the National Weather Service.

^{2/ -} Departure from 15-year (1958-72) drainage division average.



WASHINGTON SNOW COVER

DRAINAGE AREAS




Selected Snow Survey Courses by Soil Conservation Service





WASHINGTON VALLEY PRECIPITATION


1974


DRAINAGE AREAS












M7-0-22028-2-L






SNOW PILLOW DATA

AS OF February 1, 1974

Sec. 13 T. 26N R. 14E No. 21B41SP Drainage: ACRACCHEE R.

Lat. 47° 45 Long. 121° 42' Elev. 3240






SNOW PILLOW DATA

Cougar Mountain - FS 1973 - 1974

Sec. 21 T. 21N R. 9E No. 21B42SP Drainage: Green River

Lat. 47° 17° Long. 120° 40° Elev. 3200°







SNOWSHOE BUTTE - FS

SNOW PILLOW DATA

AS OF FEBRUARY 1, 1974







| SNOW | | | | THIS YEAR | Y | PAST P | ECORD |
|---------------------|-------------------|-----------|---------------|------------|---------------|------------|---------------|
| DRAINAGE BASIN a | nd/or SNOW COURSE | | Date | Snow Depth | Water Content | Water Cont | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average 年 |
| | UPPER C | OLUM | BIA | DRAI | NAGE | | |
| | | | | | | | |
| PEND OREILLE | RIVER | | | | | | |
| Benton Meadow | 16A02 | 4900 | 1/2 | 15 | 3.0 | 0.0 | 3.5 |
| Destruction Combine | 16A03 | 4900 | 1/30 12/31 | 6 46 | 1.8 14.3 | 1.8 5.8 | 6.0 8.4 |
| Benton Spring | 10403 | 4900 | 1/29 | 62 | 20.1 | 11.5 | 13.8 |
| Chewelah | 17A04 | 4925 | 2/2 | 59 | 17.2 | 9.0 | 13.0 |
| Heart Lake Trail | 14C10 | 4800 | 1/3 | 46 | 11.7 | 3.8 | 8.7 |
| | | | 1/29 | 65 | 19.1 | 7.2 | 17.6 |
| Hoodoo Basin | 15C10 | 6000 | 1/3 | 95 | 30.0 | 18.1 | 20.8 |
| | | | 1/29 | 128 | 46.0 | 28.8 | 37.9 |
| Hoodoo Creek | 15C01 | 5900 | 1/3 | 87 | 24.9 | 17.1 | 18.9 |
| | | | 1/29 | 125 | 41.9 | 26.4 | 35.5 |
| Lookout | 15B02 | 5250 | 12/28 | 79 | 18.1 | 10.5 | 15.6 |
| | | | 1/31 | 115 | 32.0 | 16.7 | 26.7 |
| Nelson | 19-Can | 3050 | 11/1 | 0 | 0.0 | 0.9 | |
| | | | 11/14 | 5 | 1.2 | 0.8 | |
| | | | 12/13 | 48 | 9.9 | 1.8 | ~ /. ÷ |
| | | | 12.28 | 51 | 13.4 | 4.6 9.6 | 7.4* 11.3* |
| a | 16406 | 1500 | 1/30 | 61 84 | 15.7 24.8 | 9.7 | 11.5~ |
| Schweitzer Bowl | 16A06 | 4500 | 12/28 1/29 | 94 | 32.5 | 17.2 | 22.6 |
| Calanatan an Didaa | 16A05 | 6100 | 12/28 | 107 | 34.8 | 15.3 | 26.0 |
| Schweitzer Ridge | 10A03 | 0100 | 1/29 | 140 | 53.5 | 26.3 | 32.1 |
| Winchester Creek | 17A03 | 2970 | 1/28 | 32 | 10.4 | 6.0 | 9.7 |
| KETTLE RIVER | | | | | | | |
| Barnes Creek | 90 - Can | 5300 | 1/30 | 60 | 15.1 | 10.8 | 14.1* |
| Big White Mountair | | 5500 | 1/28 | 68 | 19.0 | 11.2 | 13.8* |
| Boulder Road | 18A02 | 1450 | 1/30 | 7 | 2.0 | 1.1 | 4.6 |
| Butte Creek | 18A03 | 4070 | 1/30 | 32 | 8.7 | 5.4 | 7.4 |
| Cabin Creek | 18A08 | 3170 | 1/30 | 30 | 7.6 | 3.7 | 6.5 |
| Carmi | 126-Can | 4100 | 1/28 | 25 | 6.2 | 2.2 | 5.3* |
| Farron # 1 | 17-Can | 4000 | 1/31 | 50 | 13.9 | 8.0 | 9.6* |
| Farron # 2 | 243-Can | 4000 | 1/31 | 50 | 12.9 | | New Cour |
| Goat Creek | 18A04 | 3595 | 1/30 | 26 | 6.7 | 4.0 | 6.2 |
| Monashee Pass | 48A-Can | 4500 | 12/28 | 24 | 6.6 | 6.0 | - |
| | | | 1/30 | 43 | 9.3 | 8.3 | 9.6* |

1/27 97

41.7 19.5 19.0*

7000

Old Glory Mountain 42-Can

WORLSCS-PORTLAND, ORESON 197

[#] Average based on 1958-72 average

^{*} Average for years of record



| NOW | OW | | | THIS YEAR | | PAST R | ECORD |
|-------------------------|------------|-----------|---------------|------------|---------------|-------------|-----------|
| DRAINAGE BASIN and/or S | NOW COURSE | | Date | Snow Depth | Water Content | Water Conte | |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average 1 |
| KETTLE RIVER (Co | nt.) | | | | | | |
| Snow Caps Creek | 18A05 | 2150 | 1/30 | 16 | 4.2 | 1.5 | 4.8 |
| Snow Caps Trail | 18A06 | 2720 | 1/30 | 22 ' | 4.6 | 2.1 | 5.5 |
| Summit G. S. | 18A07 | 4600 | 1/30 | 25 | 7.6 | 4.7 | 5.9 |
| Trapping Creek Lower | 166-Can | 3050 | 1/28 | 20 | 4.7 | 1.2 | 4.4 |
| Trapping Creek Upper | 165-Can | 4450 | 1/28 | 38 | 8.5 | 5.8 | 7.4 |
| COLVILLE RIVER | | | | | | | |
| Baird | 17A6 | 3215 | 1/31 | 25 | 7.4 | 4.4 | 6.1 |
| Carlson | 18A9 | 2885 | 2/1 | 3 | 0.7 | 1.0 | 4.5 |
| Chewelah | 17A4 | 4925 | 2/2 | 59 | 17.2 | 9.0 | 13.0 |
| Stranger Mountain | 17A5 | 4990 | 2/2 | 48 | 16.5 | 7.1 | 11.0 |
| Togo | 18A10 | 3370 | 2/2 | 40 | 11.9 | 4.3 | 10.1 |
| SPOKANE RIVER | | | | | | | |
| _ | | | 10/00 | | 0.0 | F 1 | |
| Above Burke | 15B8 | 4100 | 12/28 | 48 | 9.8 | 5.1 | esti |
| | | 2100 | 1/31 | 74 | 17.7 | 9.0 | - |
| 4th of July Summit | 16B3 | 3100 | 1/29 | 23 | 7.3 | 0.6 | 6.8 |
| Lookout | 15B02 | 5250 | 12/28 | 79 | 18.1 | 10.5 | 15.6 |
| | | ~ ~ ~ ~ | 1/31 | 115 | 32.0 | 16.7 | 26.7 |
| Mosquito Ridge | 16A4 | 5110 | 1/30 | 114 | 38.6 | 1 7 | a |
| Sherwin | 16C1 | 3200 | 12/31 1/31 | 39 55 | 10.0 14.8 | 1.3 4.4 | 11.0 |
| OKANOGAN RIVER | | | | | | | |
| A1 1 T -1 | 6A Cam | 4300 | 2/1 | 23 | 5.0 | 3.3 | 5.0 |
| Aberdeen Lake | 6A-Can | 6250 | 12/19 | | 16.2 | 15.4 | 14.7 |
| Blackwall Peak | 100-Can | 6230 | | | 34.2 | | |
| n 1. 364 | 102 0 | 4.900 | 1/28 1/28 | | 11.7 | 7.7 | 9.9 |
| Brenda Mine | 193-Can | 4800 | | | 7.6 | | 7.2 |
| Brookmere | 27-Can | | | | | 0.3 | - |
| Carrs Landing Upper | 168-Can | 3200 | 12/31 1/31 | | 2.6 | | 3.8 |
| Clark + | 19A8a | 7000 | 2/5 | 72 | 21.6 | | |
| Enderby | 130-Can | 6250 | 1/28 | 104 | 32.2 | 23.6 | 25.0 |
| Freezeout Meadows New | | 5000 | 2/7 | 179 | 63.3 | 17.4 | New |
| Hamilton Hill | 107-Can | | | 52 | | 8.4 | 10.4 |
| Harts Pass | 20A05A | | 2/6 | 156 | | 25.9 | 32.0 |
| Horseshoe Basin + | 19A05a | | 2/4 | 57 | | 8.1 | 9. |
| Isontok Lake | 152-Can | | 12/29 | | 6.0 | 3.0 | 4.(|
| | | | 1/26 | 38 | 8.7 | 4.0 | 6.2 |

[#] Average based on 1958-72 average

^{*} Average for years of record

⁺ Snow water equivalent estimated from aerial stadia observation



| NOW | | | | THIS YEAR | Y | PAST RECORD | |
|-------------------------|-------------------|-----------|-----------|------------|---------------|-------------|--------------|
| DRAINAGE BASIN and/or S | NOW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average # |
| OKANOGAN RIVER (| Cont.) | | | | | | |
| Lost Horse Mountain | 105-Can | 6300 | 1/30 | 48 | 7.8 | 4.8 | 6.7 |
| Loup Loup | 19A07 | 4650 | 1/31 | 46 | 12.4 | 5.2 | 7.6 |
| McCulloch | 4-Can | 4200 | 12/30 | 22 | 4.6 | 2.2 | 3.29 |
| | | | 1/27 | 30 | 6.4 | 3.0 | 4.89 |
| Missizula Mountain | 106-Can | 5100 | 1/30 | 41 | 11.2 | an | 6.5 |
| Mission Creek | 5A-Can | 6000 | 12/27 | 46 | 12.4 | 7.8 | 8.9 |
| | | | 1/29 | 67 | 18.7 | 10.3 | 13.69 |
| Monashee Pass | 48A-Can | 4500 | 12/28 | 24 | 6.6 | 6.0 | 600 |
| | | | 1/30 | 43 | 9.3 | 8.3 | 9.69 |
| Mount Kobau | 156-Can | 5950 | 1/31 | 49 | 14.7 | 5.0 | 10.6 |
| Muckamuck + | 19A09a | 6390 | 2/5 | 62 | 18.6 | 5 | |
| Mutton Creek No. 1 | 19A01 | 5700 | 1/29 | 57 | 18.5 | 7.4 | 10.4 |
| Mutton Creek No. 2 | 19A04 | 6000 | 1/29 | 56 | 17.5 | 7.4 | 10.9 |
| Mutton Creek No. 2 SP | | 6000 | 1/29 | | 13.4 | 5.2 | 20.7 |
| New Copper Mountain | 46A-Can | 4300 | 1/30 | 28 | 7.2 | 2.0 | 5.5 |
| New Penticton Res. # | | 5225 | 1/31 | 39 | 9.3 | 4.2 | 7.5 |
| Oyama Lake | 203-Can | 4400 | 1/29 | 23 | 7.6 | 4.3 | 5.5 |
| 3 | 203-Can 20A28a | 4300 | 2/4 | 68 | 20.4 | 9.0 | 13.0 |
| Paysayten + | 55-Can | 4500 | 1/30 | 31 | 6.5 | 4.1 | 5.9 |
| Postill Lake | | 4000 | 1/28 | 30 | 9.4 | 3.2 | 5.9 |
| Rusty Creek | 19A03 | | • | | 11.5 | 4.6 | 7.8 |
| Salmon Meadows | 19A02 | 4500 | 1/29 | 40 | | | 14.2 |
| Silver Star Mountain | 99-Can | 6050 | 1/1 | 58 | 18.9 | 13.5 | |
| | 10470- | (750 | 1/27 | 75 | 25.2 | 15.3 | 19.1 |
| Starvation Mountain + | | 6750 | 2/4 | 70 | 21.0 | 2 0 | - l. 60 |
| Summerland Reservoir | 3A-Can | 4200 | 12/30 | 24 | 6.3 | 2.8 | 4.6 |
| | 30606 | 0015 | 1/27 | 32 | 8.4 | 4.5 | 7.7 |
| Touts Coulee | 19A06 | 2845 | 1/29 | 17 | 4.9 | 1.0 | 3.4 |
| Trout Creek | 3-Can | 4700 | 1/28 | 30 | 7.0 | 3.5 | 5.23 |
| Vasseux Creek | 233-Can | 4600 | 1/6 | 22 | 4.6 | 1.8 | - |
| | | | 1/30 | 28 | 5.4 | 2.0 | 5.5 |
| White Rocks Mountain | 70-Can | 6000 | 1/29 | 82 | 27.3 | 12.2 | 18.5 |
| METHOW RIVER | | | | | | | |
| Billy Goat Pass + | 21A10a | 6409 | 2/4 | 95 | 28.5 | 60 | 20.8 |
| Dollar Watch + | 20A29a | 7000 | 2/4 | 99 | 29.7 | 14.6 | 19.4 |
| Harts Pass | 20A05A | 6500 | • | 156 | 52.3 | 25.9 | 32.0 |
| Horseshoe Basin + | 19A05A | 7000 | 2/4 | 57 | 17.1 | 8.1 | 9.7 |
| Loup Loup | 19A07 | 4650 | 1/31 | 46 | 12.4 | 5.2 | 7.6 |

[#] Average based on 1958-72 average

^{*} Average for years of record

⁺ Snow water equivalent estimated from aerial stadia observation



| NOW | | | | THIS YEAR | | PAST R | ECORD |
|--------------------------|-------------|-----------|-----------|------------|---------------|-------------|-----------|
| DRAINAGE BASIN and/or Si | NOW COURSE | | Date | Snow Depth | Water Content | Water Conte | |
| NAME | Number | Elevation | of Survey | (inches) | (inches) | Last Year | Average # |
| METHOW RIVER(Con | <u>t.</u>) | | | | | | |
| Mutton Creek No. 1 | 19A01 | 5700 | 1/29 | 57 | 18.5 | 7.4 | 10.4 |
| Mutton Creek No. 2 | 19A04 | 6000 | 1/29 | 56 | 17.5 | 7.4 | 10.9 |
| Rusty Creek | 19A03 | 4000 | 1/28 | 30 | 9.4 | 3.2 | 5.9 |
| Salmon Meadows | 19A02 | 4500 | 1/29 | 40 | 11.5 | 4.6 | 7.8 |
| War Creek Pass + | 20A31a | 6500 | 2/5 | 147 | 44.1 | 23.5 | ** |
| CHELAN LAKE BASI | <u>N</u> | | | | | | |
| Cloudy Pass + | 20A22a | 6500 | 2/5 | 160 | 51.2 | 22.2 | 29.0 |
| Greenwood Flat + | 20A25a | 3540 | 2/5 | 90 | 28.8 | 15.3 | 23.3 |
| Little Meadows + | 20A24a | 5275 | 2/5 | 133 | 42.6 | 22.2 | 32.2 |
| Lyman Lake + | 20A23A | 5900 | Marker | Down | | 39.0 | 42.1 |
| Park Creek Flat + | 20A13a | 2220 | 2/5 | 100 | 32.0 | 19.5 | 27.3 |
| Park Creek Ridge | 20A12A | 4600 | 2/5 | 175 | 56.0 | 28.5 | 34.1 |
| Petersons + | 20A16a | 3730 | 2/5 | 123 | 39.4 | 21.6 | 25.1 |
| Rainy Pass | 20A09 | 4780 | 2/6 | 142 | 45.6 | 26.0 | 29.5 |
| Safety Harbor + | 20A30A | 6300 | Marker | Buried | | 15.4 | ** |
| War Creek Pass + | 20A31a | 6500 | 2/5 | 147 | 44.1 | 23.5 | - |
| ENTIAT RIVER | | | | | | | |
| Blue Creek G. S. | 20B28a | 5425 | 2/5 | 132 | 37.0 | 24.5 | - |
| Entiat Meadows + | 20A33a | 4800 | 2/5 | 174 | 48.7 | 26.4 | • |
| Entiat River Trail + | 20A34a | 3150 | 2/5 | 82 | 22.3 | 9.9 | - |
| Four Mile Ridge + | 20B27a | 7000 | 2/5 | 144 | 40.3 | 20.1 | - |
| Fox Camp + | 20A36a | 6510 | 2/5 | 182 | 51.0 | 32.6 | ∞ |
| Pope Ridge | 20B20 | 4300 | 2/1 | 86 | 24.0 | 11.5 | 14.0 |
| Pugh Ridge | 20A32a | 6400 | 2/5 | 127 | 35.6 | 22.9 | - |
| Shady Pass | 20A37 | 6200 | Not Me | asured | | 18.5 | ** |
| Snow Brushy + | 20A35a | 3850 | 2/5 | 133 | 37.2 | 22.9 | • |
| Tommy Creek + | 20B21a | 5300 | 2/5 | 94 | 26.3 | 14.4 | |
| WENATCHEE RIVER | | | | | | | |
| Berne-Mill Creek | 21B23 | 3170 | 11/14 | 14 | 1.4 | - | 1.1 |
| | | | 11/29 | 41 | 10.2 | 1.4 | 4.1 |
| | | | 12/13 | 55 | 12.9 | 2.3 | 7.6 |
| | | | 12/27 | 75 | 19.8 | 6.9 | 11.2 |
| | | | 1/29 | 82 | 29.3 | 13.9 | 21.4 |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| WOW | | | | THIS YEAR | Y | PAST R | ECORD |
|---|-----------------|-----------|--------------|------------|---------------|-------------|--------------|
| DRAINAGE BASIN and/or SNO | OW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average # |
| WENATCHEE RIVER (| Cont.) | | | | | | |
| Berne-Mill Creek New | 21B41SP | 3240 | 11/29 | 41 | 10.0 | 1.0 | 04 |
| | | | 12/27 | 77 | 23.6 | 4.7 | 9.9 |
| | | | 1/29 | 75 | 28.2 | 10.9 | 18.7 |
| Blewett Pass No. 2 | 20B02 | 4270 | 12/27 | 51 | 13.4 | 4.7 | 6.7 |
| | 00-46 | 1010 | 2/4 | 64 | 19.0 | 5.4 | 13.0 |
| Chiwaukum G. S. | 20B16 | 1810 | 11/14 | 6 | 1.4 | - | 0.2 |
| | | | 11/29 | 18 | 4.6 | | 1.5 |
| | | | 12/13 | 29 | 6.1 | 0.5 | 3.2 |
| | | | 12/27 | 47 | 10.0 | 2.0 | 5.1 |
| | 00-05 | 4070 | 1/29 | 42 | 12.8 | 4.1 | 9.9 |
| Lake Wenatchee | 20B05 | 1970 | 11/14 | 5 | 1.1 | | 0.3 |
| | | | 11/29 | 23 | 4.7 | 1.2 | 1.5 |
| | | | 12/13 | 30 | 6.3 | 0.6 | 3.9 |
| | | | 12/27 | 47 | 10.9 | 2.6 | 6.1 |
| | | | 1/16 | 47 | 13.9 | 4.9 | 9.6 |
| n. a | 00017 | 1107 | 1/29 | 42 | 14.8 | 5.4 | 12.1 |
| Leavenworth R. S. | 20B17 | 1127 | 11/1 | 1 | 0.5 | | 0.0 |
| | | | 11/5 | 2 | 1.0 | • | 0.0 |
| | | | 12/3 | 5 8 | 2.2 | ~ · | 0.8 |
| | | | 12/17 1/2 | 20 | 3.0 4.8 | 0.5 | 1.8 |
| | | | 1/2 | 19 | 6.8 | 1.9 | 3.4 4.7 |
| | | | 2/4 | 13 | 5.4 | 3.3 | 6.0 |
| I.man Ialaa ± | 20A23A | 5900 | Marker | | J • 4 | 39.0 | 42.1 |
| Lyman Lake + Merritt | 20H23H 20B18 | 2140 | 11/14 | 8 | 2.0 | J7.U | -+4.I |
| Merricc | 20010 | 2140 | 11/14 | 30 | 6.6 | 0.6 | 2.3 |
| | | | 12/13 | 34 | 8.4 | 0.5 | 4.9 |
| | | | 12/27 | 56 | 13.4 | 2.8 | 7.9 |
| | | | 1/16 | 60 | 16.2 | 5.2 | 11.7 |
| | | | 1/29 | | 17.9 | | 14.5 |
| Stevens Pass | 21B01 | 4070 | | | 3.6 | | 3.6 |
| 2 | | | 11/29 | | 14.6 | 6.0 | 8.9 |
| | | | 12/13 | 86 | | 8.4 | |
| | | | 12/27 | | | | |
| | | | 1/16 | | | | |
| | | | 1/29 | | | | |
| Stevens Pass Sand Shed | 21B45 | 3700 | 11/14 | | 2.0 | es | |
| | | | 11/29 | | 11.0 | 2.5 | - |
| | | | | 65 | 16.0 | 3.5 | ••• |
| | | | | 84 | | | |
| | | | | 79 | | 14.6 | •• |
| | | | 1/29 | | | | - |
| | | | • | | | | - |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| NOW | | | | THIS YEAR | Y | PAST RECORD | | |
|--|----------------|--------------|----------------|--------------|---------------|-------------|--------------|--|
| DRAINAGE BASIN and/or SNO | OW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) | |
| NAME | Number | Elevation | of Survey | (Inches) | (inches) | Last Year | Average # | |
| COLOCKUM CREEK | | | | | | | | |
| Colockum Creek Upper Colockum Creek Lower | 20B22 20B23 | 5300 4300 | Not Me | asured 45 | 13.0 | 8.3 6.0 | es do | |
| SQUILCHUCK CREEK | | | | | | | | |
| Beehive Springs | 20B03 | 4400 | 1/30 | 35 | 11.4 | 5.3 | 6.6 | |
| Scout-A-Vista | 20B04 | 3400 | 1/30 | 39 | 12.2 | 5.8 | 6.5 | |
| STEMILT CREEK | | | | | | | | |
| Jump-Off | 20B08 | 4450 | 2/1 | 41 | 11.8 | 6.0 | 6.7 | |
| Stemilt Slide | 20B06 20B07 | 5000 4400 | 1/31 1/31 | 66 43 | 18.6 15.6 | 10.0 6.0 | 12.4 | |
| Upper Wheeler | 20007 | 4400 | 1/31 | 45 | 13.0 | 0.0 | 0.5 | |
| YAKIMA RIVER | | | | | | | | |
| Ahtanum R. S. | 21C11 | 3100 | 12/28 | 37 | 5.8 | 1.5 | 3.1 | |
| Blewett Pass No. 2 | 20B02 | 4270 | 1/29 12/27 | 22 51 | 10.2 13.4 | 4.0 4.7 | 6.3 | |
| | | | 2/4 | 64 | 19.0 | 5.4 | 13.0 | |
| Bumping Lake Old | 21C08 | 3450 | 11/30 12/13 | 29 37 | 7.5 9.1 | on on | 2.3 | |
| | | | 1/2 | 56 | 14.4 | 3.6 | 7.1 | |
| | | | 1/20 | 57 | 16.8 | 6.6 | 10.4 | |
| | | | 2/4 | 71 | 20.2 | 8.0 | 13.2 | |
| Bumping Lake New | 21C36 | 3400 | 11/30 | 34 | 9.0 | 6 | E 0 | |
| | | | 12/13 1/2 | 44 63 | 10.8 16.9 | 4.1 | 5.8 8.7 | |
| | | | 1/20 | 64 | 18.8 | 9.1 | | |
| | | | 2/4 | 82 | 24.0 | 7.0 | | |
| Cayuse Pass | 21C06 | 5300 | • | 218 | 86.4 | | | |
| Colockum Pass | 20B09 | 5370 | | 56 | 17.6 | | 11.2 | |
| Cooke Creek | 20B10 | 4123 | | | 8.2 | 3.4 | 7.2 | |
| Grouse Camp | 20B11 | 5385 | 1/29 | | 19.9 | | 12.1 | |
| High Creek | 20B12 | 2930 | 1/29 | | 7.0 | 3.0 | 4.9 | |
| Joe Lake + | 21B46a | 4624 | | asured | 25 2 | 18.0 | | |
| Green Lake | 21C10 | 6000 2200 | 1/29 10/31 | 93 7 | 25.2 0.9 | 18.2 | | |
| Lake Cle Elum | 21B14M | 2200 | 11/19 | | 1.6 | | 60 | |
| | | | 11/19 | | 3.6 | - | 1.1 | |
| | | | 12/14 | | 4.4 | | 2.2 | |
| | | | 1/3 | 38 | 9.0 | 0.0 | 4.2 | |
| | | | 1/16 | 37 | 10.7 | 1.6 | 6.5 | |
| | | | 2/4 | 29 | 10.4 | 3.6 | 8.2 | |

[#] Average based on 1958-72 average+ Snow water equivalent estimated from aerial stadia observation



| NOW | | | | THIS YEAR | Y | PAST RECORD | | |
|-----------------------------|-----------|-----------|-----------|------------|---------------|-------------|--------------|--|
| DRAINAGE BASIN and/or SN | OW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (Inches) | |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average 1 | |
| YAKIMA RIVER (Con | nt.) | | | | | | | |
| Lemah Creek + | 21B47a | 3327 | 2/7 | 132 | 39.6 | 14.2 | • | |
| Manashtash | 20C01 | 3935 | 1/25 | 19 | 6.2 | 2.4 | 3.9 | |
| Morse Lake | 21C17 | 5400 | Not Me | | | 34.2 | 41.7 | |
| Nanum | 20B13 | 3875 | 1/29 | 32 | 10.1 | 4.5 | 7.8 | |
| Olallie Meadows | 21B2 | 3625 | 2/6 | 170 | 62.9 | 14.6 | 32.7 | |
| Satus Pass | 20D01 | 4030 | 1/30 | 35 | 12.0 | 3.1 | 8.7 | |
| Stampede Pass SP | 21B10 | 3860 | 12/9 | - | 17.8 | - | 6.3 | |
| | | | 12/18 | on. | 23.4 | • | 11.9 | |
| | | | 1/1 | • | 35.6 | 11.5 | 16.5 | |
| | | | 1/15 | 120 | 39.4 | 14.8 | 22.0 | |
| | | | 2/5 | | 60.6 | 18.5 | 38.7 | |
| Crail Creek | 20B14 | 3360 | 1/28 | 8 | 3.7 | 0.0 | 2.3 | |
| Tunnel Avenue | 21B08 | 2450 | 10/31 | 7 | 1.0 | 0.0 | - | |
| | | | 11/16 | 15 | 3.9 | 0.0 | 0.0 | |
| | | | 11/30 | 34 | 8.5 | - | 2.7 | |
| | | | 12/13 | 37 | 10.5 | 1.0 | 6.4 | |
| | | | 1/3 | 62 | 18.8 | 4.5 | 9.2 | |
| | | | 1/16 | 57 | 19.8 | 6.4 | 11.3 | |
| | | | 2/4 | 76 | 26.3 | 9.6 | 17.6 | |
| an Epps Pass + | 20B26a | 5925 | 2/7 | 123 | 36.9 | 19.2 | - | |
| Valters Flat | 20B15 | 3360 | 1/29 | 30 | 9.6 | 3.9 | 6.3 | |
| Vaptus Lake + | 21B49a | 3024 | 2/7 | 170 | 51.0 | 15.8 | 10 | |
| White Pass (E. Side) | 21C28 | 4500 | 11/28 | 36 | 8.6 | • | ~ | |
| 1200 (2: 0110) | | | 12/14 | 44 | 11.5 | | 6.3 | |
| | | | 1/3 | 70 | 19.6 | 5.7 | 9.6 | |
| | | | 1/18 | 64 | 21.3 | 8.1 | 14.0 | |
| | | | 2/5 | 88 | 27.7 | 9.1 | 18.2 | |
| White Pass (L. Lake) | 21C27 | 4500 | 12/28 | 80 | 23.1 | 5.7 | 11.8 | |
| will be radio (iii. iiiane) | 21027 | 1500 | 2/2 | 96 | 32.6 | 9.4 | 22.0 | |
| AHTANUM CREEK | | | | | | | | |
| Ahtanum R. S. | 21C11 | 3100 | 12/28 | 37 | 5.8 | 1.5 | 3.1 | |
| | | | 1/29 | 22 | 10.2 | 4.0 | 6.3 | |
| Green Lake | 21C10 | 6000 | 1/29 | 93 | 25.2 | 18.2 | | |
| ASOTIN CREEK | | | | | | | | |
| Spruce Springs | 17C4 | 5700 | 1/28 | 72 | 26.7 | 9.4 | 19.3 | |
| Spruce Springs | 1704 | 5/00 | 1/28 | 12 | 20.7 | 9.4 | 19 | |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| IOW | | | | THIS YEAR | R | PAST R | ECORD |
|-------------------------|------------|-----------|--------------|------------|---------------|--------------|--------------|
| DRAINAGE BASIN and/or S | NOW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average 1 |
| MILL CREEK | | | | | | | |
| Homestead | 17C1 | 4030 | 1/30 | 31 | 10.9 | 1.2 | 6.5 |
| Martin Springs | 17C02 | 4400 | 1/30 | 47 | 15.6 | 1.8 | 9.8 |
| Tollgate Tollgate | 18D3M | 5070 | 1/29 | 95 | 33.6 | 7.5 | 16.7 |
| KLICKITAT RIVER | | | | | | | |
| Satus Pass | 20D1 | 4030 | 1/30 | 35 | 12.0 | 3.1 | 8.7 |
| WHITE SALMON RIV | <u>/ER</u> | | | | | | |
| Cultus Creek | 21C12 | 4000 | 1/1 | 113 | 35.1 | 10.3 | 17.8 |
| | | | 2/5 | 145 | 49.4 | 16.4 | 32.5 |
| Surprise Lakes | 21C13A | 4250 | 12/31 | 113 | 37.2 | 10.8 | 20.1 |
| | | | 2/5 | 166 | 58.7 | 15.8 | 35.9 |
| WIND RIVER | | | | | | | |
| Old Man Pass | 21D19 | 3100 | 12/31 | 56 | 15.8 | 0.8 | 7.5 |
| | | | 2/5 | 58 | 19.3 | 5.0 | 14.7 |
| LEWIS RIVER | | | | | p=10 | | |
| Blue Lake + | 21C22a | 4800 | 12/31 2/1 | 167 216 | 55.1 77.8 | 25.5 34.6 | 34.5 60.5 |
| Bob's Trail | 21C21 | 2200 | 1/1 | 44 | 12.4 | 1.0 | 6.5 |
| JOD S ITAIL | 21021 | 2200 | 2/3 | 42 | 15.9 | 3.3 | 12.0 |
| Calamity Ridge + | 22D01a | 2500 | 12/31 | 11 | 3.2 | 1.2 | 3.9 |
| Julium 29 mange | | | 2/5 | 4 | 0.3 | 0.2 | 5.6 |
| Council Pass + | 21C18a | 4200 | | 102 | | 10.1 | |
| | | | | 134 | | 17.9 | 29.7 |
| Cultus Creek | 21C12 | 4000 | 1/1 | 113 | 35.1 | 10.3 | 17.8 |
| | | | 2/5 | 145 | 49.4 | 16.4 | 32.5 |
| Divide Meadow | 21C29a | 5600 | | | | | |
| | | | 2/3 | | | | |
| Grand Meadow | 21C25 | 3500 | | | | 4.1 | |
| | | | | 86 | 30.0 | | |
| Lone Pine Shelter | 21C26 | 3800 | | 104 | | 7.0 | |
| | | | · · | 133 | | 12.7 | |
| Marble Mountain + | 22C05a | 3200 | | | 25.5 | | |
| | 0.00 | 1.00 | | 84 | | 7.1 | |
| Mosquito Meadows | 21C19 | 4100 | | 94 | 28.6 | 8.6 | 18.9 |
| | | | 2/5 | 126 | 41.3 | 15.6 | 32.1 |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| 10 W | | | | THIS YEAR | Y | PAST R | ECORD |
|--------------------------|---------------|-----------|---------------------|----------------|-------------------------------------|--------------|-----------------|
| DRAINAGE BASIN and/or SN | OW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average |
| LEWIS RIVER (Con | <u>t.</u>) | | | | | | |
| New Muddy River | 22006 | 2000 | 1/1 2/1 | 30 7 | 7.4 3.4 | 0.0 1.7 | 6.4 12.1 |
| Old Man Pass | 21D19 | 3100 | 12/31 2/5 | 56 58 | 15.8 19.3 | 0.8 | 18.9 |
| Plains of Abraham + | 22C01a | 4400 | 12/31 2/3 | 152 162 | 50.2 | 19.5 28.8 | 28.8 45.2 |
| Smith Creek Road | 22C04 | 2100 | 1/1 2/1 | 45 38 | 14.4 15.4 | 0.0 | 9.5 |
| Spencer Meadow + | 21C2Oa | 3400 | 12/31 2/3 | 66 84 | 19.8 | 3.2 8.4 | 10.2 |
| Surprise Lakes | 21C13A | 4250 | 12/31 2/5 | 113 166 | 37.2 58.7 | 10.8 | 20.1 |
| Table Mountain + | 21C24a | 4200 | 12/31 2/3 | 120 154 | 38.4 53.9 | 11.8 | 21.4 |
| Timbered Peak + | 21D18a | 3000 | 12/31 2/5 | 48 50 | 13.9 16.5 | 1.2 | 8.0 |
| COWLITZ RIVER | | | | | | | |
| Cayuse Pass | 21 C06 | 5300 | 12/31 | 158 218 | 52.8 86.4 | 23.8 38.9 | 41. 58. |
| Mosquito Meadows | 21C19 | 4100 | 2/7 1/1 2/5 | 94 126 | 28.6 41.3 | 8.6 15.4 | 18. |
| Ohanapecosh | 21C32 | 2200 | 12/28 2/2 | 39 40 | 10.0 | 0.1 | 4. 14. |
| Packwood Lake | 21C31 | 2870 | 12/31 2/2 | 36 48 | 8.4 14.9 | 0.7 | 4. |
| Pigtail Peak | 21033 | 5900 | 12/28 1/16 | 115 · 106 | 33.7 42.9 | 22.5 26.1 | 26. - |
| Plains of Abraham + | 22C01a | 4400 | 2/2 12/31 2/3 | 152 | 50.2 | 19.5 | 28. |
| Potato Hill | 21014 | 4500 | | 75 | 22.2 | 8.0 | 12. |
| White Pass (E. Side) | 21G28 | 4500 | | 36 44 70 | 8.6 11.5 19.6 21.3 27.7 | 5.7 8.1 | 6. 9. 14. |
| White Pass (L. Lake) | 21C27 | 4500 | 12/28 2/2 | 80 96 | 23.1 32.6 | 5.7 | 11. |
| Willame Creek | 21C30 | 3250 | | 75 106 | 22.6 34.4 | | |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| SNOW | | | | THIS YEAR | | PAST R | ECORD |
|-----------------------|---------------|-----------|-----------------------|-------------------|----------------------|--------------------|---------------------|
| DRAINAGE BASIN and/or | SNOW COURSE | | Date | Snow Depth | Water Content | Water Conte | |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average# |
| | PUGET | s o u | ND DR | RAIN. | AGE | | |
| NISQUALLY RIVER | | | | | | | |
| Ghost Forest | 21004 | 4550 | 1/2 2/6 | 91 146 | 29.7 49.0 | 12.8 17.3 | 13.6 31.7 |
| Longmire | 21C03 | 2760 | 12/27 2/6 | 31 46 | 7.8 17.2 | 0.4 2.8 | 2.5 8.3 |
| New Paradise Park | 21C35 | 5500 | 1/2 2/6 | 128 200 | 44.2 76.0 | 22.0 34.6 | 24.9 50.2 |
| Stem Glade | 21001 | 5050 | 1/2 2/6 | 122 195 | 40.7 71.9 | 20.4 30.9 | 24.9 48.3 |
| WHITE RIVER | | | | | | | |
| Cayuse Pass | 21 C06 | 5300 | 12/31 2/7 | 158 218 | 52.8 86.4 | 23.8 38.9 | 41.3 58.7 |
| GREEN RIVER | | | | | | | |
| Airstrip | 21824 | 1800 | 11/29 12/31 2/5 | .9 12 8 | 2.4 2.5 2.0 | 0.0 0.0 1.6 | 0.6 2.5 4.9 |
| Charley Creek | 21B25 | 1200 | 11/29 12/31 2/5 | 2 3 Trace | 0.8 0.6 0.0 | 0.0 0.0 0.0 | 0.0 1.6 1.5 |
| Cougar Mountain | 21B42SP | 3200 | 1/4 2/6 | 45 70 | 15.2 24.6 | 3.4 6.2 | esp |
| Grass Mtn. No. 2 | 21B27 | 2900 | 11/29 12/31 2/5 | 30 47 69 | 9.2 13.9 26.2 | 0.2 2.1 6.0 | 2.9 7.6 15.3 |
| Grass Mtn. No. 3 | 21B28 | 2100 | 11/29 12/31 2/5 | 10 13 11 | 3.1 1.9 2.8 | 0.0 | 0.7 2.6 5.3 |
| Lester Creek | 21B29 | 3100 | 11/29 12/31 2/5 | 34 64 87 | 9.1 16.8 28.8 | 0.3 3.8 7.8 | 3.4 9.7 |
| Lynn Lake | 21B50 | 4000 | 11/29 12/31 2/5 | 28 | 10.4 16.2 33.5 | 0.3 3.2 | ea E3 |
| Sawmill Ridge | 21B31 | 4700 | 11/29 12/31 2/5 | 46 74 136 | 10.8 23.2 43.8 | 1.9 8.8 13.7 | 7.0 15.2 28.6 |
| Snowshoe Butte | 21B43SP | 5000 | 1/4 2/6 | 106 175 | | 15.4 27.2 | = |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| 0W | | | | THIS YEAR | Y | PAST R | ECORD |
|---------------------------|------------|-----------|-----------|------------|---------------|-------------|--------------|
| DRAINAGE BASIN and/or SNO | W COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (Inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average# |
| GREEN RIVER (Cont | <u>.</u>) | | | | | | |
| Stampede Pass SP | 21B10 | 3860 | 12/9 | a | 17.8 | | 6.3 |
| | | | 12/18 | - | 23.4 | | 11.9 |
| | | | 1/1 | | 35.6 | 11.5 | 16.5 |
| | | | 1/15 | | 39.4 | 14.8 | 22.0 |
| | | | 2/5 | • | 60.6 | 18.5 | 28. |
| Twin Camp | 21B30 | 4100 | 11/29 | Not | Measured | 0.7 | 4. |
| | | | 12/31 | 64 | 17.8 | 4.7 | 11. |
| | | | 2/5 | 101 | 32.2 | 7.7 | 17.0 |
| SNOQUALMIE RIVER | | | | | | | |
| Olallie Meadows | 21B02 | 3625 | 2/6 | 170 | 62.9 | 14.6 | 32. |
| SKYKOMISH RIVER | | | | | | | |
| Stevens Pass | 21B01 | 4070 | 11/14 | 24 | 3.6 | 2.9 | 3. |
| | | | 11/29 | 59 | 14.6 | 6.0 | 8. |
| | | | 12/13 | 86 | 25.4 | 8.4 | 14. |
| | | | 12/27 | 108 | 32.6 | 15.4 | 21. |
| | | | 1/16 | 100 | 37.9 | 21.8 | 29.0 |
| | | | 1/29 | 141 | 45.8 | 26.0 | 37. |
| tevens Pass Sand Shed | 21B45 | 4070 | 11/14 | 18 | 2.0 | | |
| | | , , , , | 11/29 | 48 | 11.0 | 2.5 | œ |
| | | | 12/13 | 65 | 16.0 | 3.5 | ex > |
| | | | 12/27 | 84 | 23.9 | 9.1 | m |
| | | | 1/16 | 79 | 27.9 | 14.6 | cas |
| | | | 1/29 | 107 | 33.2 | 18.4 | cs |
| SKAGIT RIVER | | | | | | | |
| Beaver Creek Trail | 21A04 | 2200 | 2/7 | 49 | 16.4 | 6.6 | # 2 |
| Beaver Pass | 21A01 | 3680 | 2/5 | 110 | 35.1 | 14.0 | on on |
| Brown Top Ridge + | 21A28a | 6000 | 2/5 | 210 | 74.4 | 38.6 | œ |
| Cloudy Pass + | 20A22a | 6500 | 2/5 | 160 | 51.2 | 22.2 | 29.0 |
| Devils Park | 20A04 | 5900 | 2/6 | 155 | 53.5 | 27.2 | 31.9 |
| Freezeout Creek Trail | 20A01 | 3500 | 2/7 | 62 | 15.6 | 8.0 | • |
| Freezeout Meadows New | 20A38 | 5000 | 2/7 | 179 | 63.3 | 17.4 | • |
| Granite Creek | 21A29A | 3500 | 2/6 | 81 | 21.0 | 10.4 | - |
| Harts Pass | 20A05A | 6500 | 2/6 | 156 | 52.3 | 25.9 | 32.0 |
| | 35B-Can | 3700 | | easured | | 5.1 | 10.4 |
| Lake Hozomeen | 21A02 | 2600 | | asured | | 2.6 | • |
| Lyman Lake | 20A23A | 5900 | Marker | | | 39.0 | 42.1 |

[#] Average based on 1958-72 average* Average for years of record

USBA-SCS-PORTLAND, OREGON 1973-

⁺ Snow water equivalent estimated from aerial stadia observation



| IOW | | | | THIS YEAR | Y | PAST R | ECORD |
|----------------------|-------------|-----------|--------------|------------|---------------|-------------|--------------|
| DRAINAGE BASIN and/o | SNOW COURSE | | Date | Snow Depth | Water Content | Water Conte | ent (inches) |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average |
| SKAGIT RIVER (| Cont.) | | | | | | |
| Meadow Cabins | 20A08 | 1900 | 2/6 | 17 | 5.6 | 2.8 | • |
| New Hozomeen Lake | 21A30 | 2800 | 2/7 | 58 | 16.7 | 4.8 | - |
| New Tashme | 26A-Can | 2500 | 2/2 | 47 | 13.4 | 4.0 | 8. |
| Rainy Pass | 20A09 | 4780 | 2/6 | 142 | 45.6 | 26.0 | 29. |
| Thunder Basin | 20A07 | 4200 | 2/6 | 83 | 24.1 | 11.2 | - |
| BAKER RIVER | | | | | | | |
| Baker Pass + | 21A27a | 4900 | 12/31 | 130 | 52.0 | _ | - |
| | | | 2/5 | 254 | 101.0 | • | - |
| Dock Butte + | 21A11A | 3800 | 11/5 | 12 | 3.6 | 3.6 | - |
| | | | 12/4 | 62 | 18.6 | 8.4 | - |
| | | | 12/31 | 96 | 39.0 | 27.0 | _ |
| | | | 2/5 | 212 | 85.0 | 41.0 | 44. |
| Easy Pass + | 21A7A | 5200 | 11/5 | 18 | 5.4 | 0.6 | _ |
| 1400 | | 5_5 | 12/4 | 62 | 18.6 | 7.2 | - |
| | | | 12/31 | 92 | 37.0 | 26.0 | _ |
| | | | 2/5 | 216 | 86.0 | 38.0 | 53. |
| Jasper Pass + | 21A6A | 5400 | 11/5 | 12 | 3.6 | 2.4 | _ |
| pasper rass . | 2 111011 | 3400 | 12/4 | 114 | 34.2 | 15.9 | _ |
| | | | 12/31 | 144 | 58.0 | 46.0 | |
| | | | 2/5 | 269 | 108.0 | 64.0 | 64. |
| Marten Lake | 21A09A | 3600 | 11/5 | 6 | 1.8 | 3.6 | 9 |
| darten bake | ZIROJA | 3000 | 12/4 | 92 | 27.6 | 12.0 | - |
| | | | 12/31 | 120 | 48.0 | 33.0 | |
| | | | 2/5 | 204 | 82.0 | 51.0 | 52. |
| Mt. Blum + | 21A18a | 5800 | 11/5 | 6 | 1.8 | 1.2 | 52. |
| it. Blum T | ZIAIOA | 2000 | 12/4 | 58 | 26.4 | 8.7 | _ |
| | | | 12/4 | 120 | 48.0 | 38.0 | _ |
| | | | 2/5 | | | | 42. |
| D N | 21426 | 4200 | 1/14 | | | | 42. |
| Panorama New | 21A26 | 4300 | 1/14 | | 62.0 | | _ |
| Pagler Caggle | 21 4 1 2 4 | 2100 | 11/5 | | 1.2 | 4.5 | |
| Rocky Creek | 21A12A | 2100 | 12/4 | | 10.2 | 0.6 | _ |
| | | | 12/4 | | 19.0 | | |
| | | | 2/5 | 88 | 35.0 | 21.0 | 21. |
| Schreibers Meadow | 21A10A | 3400 | 11/5 | 5 | 1.5 | 0.9 | 21. |
| SCHIETDELS MESGOM | ZIATUA | 2400 | 12/4 | 66 | 19.8 | 3.6 | _ |
| | | | 12/4 | 92 | 37.0 | 18.0 | _ |
| | | | 2/5 | 193 | 77.0 | 31.0 | 39. |
| S.F. Thunder Creek | + 21A14A | 2200 | 11/5 | | 0.6 | | |
| J.r. Inunder Greek | ZINIAN | 2200 | 12/4 | | 3.6 | 0.3 | _ |
| | | | | | 6.0 | 3.0 | _ |
| | | | 12/31 2/5 | 32 | 13.0 | | 7.4 |
| | | | 2/3 | 32 | 13.0 | 3.0 | / . |

[#] Average based on 1958-72 average

⁺ Snow water equivalent estimated from aerial stadia observation



| DRAINAGE BASIN and/or SNOW COURSE | | | THIS YEAR | | | PAST RECORD | |
|-----------------------------------|--------|-----------|-----------|------------|---------------|------------------------|------------|
| | | | Date | Snow Depth | Water Content | Water Content (inches) | |
| NAME | Number | Elevation | of Survey | (Inches) | (Inches) | Last Year | Average |
| BAKER RIVER (Cor | nt.) | | | | | | |
| Watson Lakes | 21A08A | 4500 | 11/5 | 12 | 3.6 | 3.0 | oo. |
| | | | 12/4 | 56 | 16.8 | 9.6 | on, |
| | | | 12/31 | 100 | 40.0 | 24.0 | 8 |
| NOOKSACK RIVER | | | | | | | |
| Glacier Creek | 21A23 | 3700 | 12/3 | 33 | 9.0 | 0.0 | |
| | | | 12/27 | 27 | 8.2 | 5.4 | ⇔ |
| | | , | 1/28 | 61 | 18.4 | 7.9 | |
| Panorama New | 21A26 | 4300 | 1/14 | 120 | 41.7 | 30.7 | - |
| | | | 1/29 | 168 | 62.0 | 35.7 | œ |
| MORSE CREEK | | | | | | | |
| Cox Valley | 23B14 | 4500 | 2/2 | 122 | 40.8 | 23.8 | 4 5 |
| ELWHA RIVER | | | | | | | |
| Hurricane | 23B03 | 4500 | Late R | Report | | 11.7 | 16.7 |
| SKOKOMISH RIVER | | | | | | | |
| Black & White | 23B07 | 4200 | 12/28 | 84 | 29.2 | 12.8 | 16.9 |
| | | | 2/4 | 128 | 41.8 | 22.9 | 30.5 |
| Black & White Lakes | 23B06 | 4700 | 12/28 | 100 | 38.4 | 24.7 | 26.0 |
| | | | 2/4 | 149 | 55.0 | 36.7 | 42.6 |
| Four Streams | 23B10 | 3000 | 12/28 | 62 | 23.6 | 2.4 | 15.1 |
| | 20-2- | | 2/4 | 77 | 29.6 | 9.4 | 24.7 |
| Home Sweet Home | 23B05 | 5200 | 12/28 | 129 | 46.3 | 28.4 | 36.2 |
| | | | 2/4 | 197 | 69.0 | 43.8 | 56.3 |

[#] Average based on 1958-72 average



Agencies Assisting with Snow Surveys

GOVERNMENT AGENCIES

Canada:

Department of Lands, Forests and Water Resources, Water Resources Service, British Columbia

States:

Washington State Department of Ecology Washington State Department of Natural Resources

Federal:

Department of the Army
Corps of Engineers
U. S. Department of Agriculture
Forest Service
U. S. Department of Commerce
NOAA, National Weather Service
U. S. Department of the Interior
Bonneville Power Administration
Bureau of Reclamation
Geological Survey
National Park Service

PUBLIC AND PRIVATE UTILITIES

Chelan County P.U.D.
Pacific Power and Light Company
Puget Sound Power and Light Company
Washington Water Power Company

OTHER PUBLIC AGENCIES

Okanogan Irrigation District Wenatchee Heights Irrigation District

MUNICIPALITIES

City of Tacoma City of Seattle

Other organizations and individuals furnish valuable information for snow survey reports. Their cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE ROOM 360, U.S. COURT HOUSE SPOKANE, WASHINGTON 99201

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300



FIRST CLASS MAIL

COOPERATIVE SNOW SURVEYS FEDERAL - STATE - PRIVATE

domestic and municipal water water supply for irrigation, supply, hydro-electric power necessary for forecasting Furnishes the basic data generation, navigation, mining and industry "The Conservation of Water begins with the Snow Survey"